



Automatic Puncture Repair Solution

Qty.	MRP
250 ml	315.00
500ml	620.00
1Ltr	1200.00

Spoter Tyre Guard

For Tube Type and Tubeless Tyre

Spoter Tyre Guard For Tube Type and Tubeless Tyre Seals puncture quickly and automatically, Lowers tyre temperature and extends tyre life. It is a solution to fix a flat tire until it is possible to get it repaired or replaced.

Spoter Tyre Guard is suitable for all vehicles – Bikes, Cars, Buses, Trucks, Commercial, Heavy and OTR Vehicles. The ingredients in Spoter Tyre Guard are non-hazardous, Environment friendly and biodegradable. The product is fully water soluble and may be washed away with water.

1

Benefits:

- Seals punctures immediately.
- Safer and trouble-free drives.
- Protection against high speed blowouts and punctures.
- Maximum extension of your vehicle tyre life.
- Tyres that are in perfect running condition.
- Lesser need to replace tyres.
- Saving of money and time.
- Does not affect manufacturer's or extended warranties on tyres.
- Reduced downtime costs
- Prevention of accidents
- Increased fuel efficiency
- Increased customer satisfaction
- No irreparable damage to tyre caused by bearing vehicle weight even after puncture.

We use a technology which is not matched by any other tyre sealant available anywhere and can prevent punctures in tyre treads of up to ¼" [6mm] in 95% of tubeless tyres and up to 75% in tubed tyres.

It is formulated for any vehicle with all types of Tyres, tube or tubeless, high or low air pressure and used in highway speed vehicles or slow off road equipment Tyres, two wheelers, four wheelers, Bus, Truck, Dumper, Trailer , heavy equipments etc .

The product is installed into the wheel via the valve before the puncture occurs. As the wheel rotates the product is distributed in a forward motion, this applies a protective coating on the inner lining of the tread area of the tyre. When a foreign object penetrates the tyre the air pressure from within instantly forces the sealant into the puncture wound creating a temporary self-sealing tyre. By sealing the puncture instantly offers the driver extended mobility and allows the vehicle to continue their journey this helps to reduce the risks involved in roadside wheel changes. Our products range helps to eliminate costly vehicle and equipment downtime due to punctures and blowouts and has been proven to reduce overall tyre expenditure. It works in any weather condition and temperature. To seal the puncture car / bike/ vehicle must be drive immediately to seal the puncture. In tube type tyre if the tyre is flat, just remove the nail and refill the air again and drive immediately to seal the puncture.



Use Policy :

S.No.	NAME OF THE CAR	TYRE SIZE	QUANTITY IN MI.
1	Tata Indica or Similar type vehicle	165 x 65 R13 Radial	350
2	Tata Indica Vista, Tata Indigo or Similar type vehicle	175 / 65 R14 (tubeless / Radial)	350
3	Tata Sumo or Similar type vehicle	215 / 75 Radial	500
4	Tata Safari, Tata Sumo Grande or Similar type vehicle	235/70 R 16, 105 S	550
5	Chevrolet Spark, Aveo, Corsa, Fiat Palio Stile , Fiat 500 , Ford Ikon , Honda City or Similar type vehicle	155 / 70 R13, 155/80 R13, 185/60 R14, 165/80-14, 175/70-13	350 / 400
6	Forester or Similar type vehicle	205/65-15	450
7	Ford Endeavour , or Similar type vehicle	265/70-15-tubless	650
8	Honda Accord, Honda CR-V ,or Similar type vehicle	215 / 60 R16 , 195/65 R 15 , 205/65-15 tubeless	450
9	Mahindra Bolero , Scorpio ,or Similar type vehicle	235/ 75 R 15	600
10	Mitsubishi Montero, Toyota Land Cruiser ,or Similar type vehicle	265/65 R17 Tubeless	650
11	For 2 wheeler ,or Similar type vehicle	3.50 x 19" 3.25 x 19"	450

